

**INTER-DEPARTMENTAL COMMUNICATION
PROJECT CONDITIONS AND COMMENTS**

Project
Address: 1317 Thompson Ave

Project
Case No.: PDR-003041-2024

If project comments are not received by the due date, it will be assumed that your department has no comments.

NOTE: Your comments should address, within your area of authority, concerns and potentially significant adverse physical changes to the environment regarding the project. You may also identify code requirements specific to the project, above and beyond your normal requirements. Applicant will be informed early in the development process. You may review complete plans, maps and exhibits in our office, MSB Room 103. We appreciate your consideration and look forward to your timely comments. Please do not recommend APPROVAL or DENIAL. For any questions, please contact the Case Planner ASAP, so as not to delay the case processing.

COMMENTS:

This office **DOES NOT** have any comment.

This office **HAS** the following comments/conditions. (See attached Dept. Master List)

Date: 7/23/2024

Print Name: Jose A. Munoz

Title: Arborist Technician **Dept.:** PW Forestry **Tel.:** x.3402

a. ADDITIONAL COMMENTS:

1. **SUMMARY**

The subject property is a Single-family residence, southwest of the El Miradero neighborhood in Glendale. Provided plans propose to demolish existing house and detached two car garage and construct a new two car garage. Project as proposed is supportable by Forestry given requirements below are adhered to.

INDIGENOUS TREE ORDINANCE

Provided plans note include a note that there are no Oak, bay, or Sycamore on site or within 20 feet of property. Note will need to be removed, as there is one (1) Coast live oak in parkway. Subject note shall be removed, as it is inaccurate.

CITY STREET TREES

There is currently one (1) City Street tree located on parkway adjacent to subject property. City Street tree is one (1) Coast live oak. Forestry will require the protection/preservation of tree in parkway as a condition of this permit. A Street Tree Permit along with Tree Protection Plan will be required to perform the work. See "Recommendations" below.

RECCOMENDATIONS

1. Remove current Forestry note as mentioned above.
2. Accurately represent existing City Street Tree on plans. Include name, dimension, and approximate canopy shape to scale. For more information, please visit www.glendaletrees.org. Depict proposed location for new City Street Tree on plans.
3. Draft Tree Protection Plan for the conservation of (1) City Street Tree

4. Apply for and obtain a Street Tree Permit prior to commencing the work.
5. Plant a total of 1 new City Street Tree adjacent to subject property in new tree well provided by developer. New tree must be 24" minimum root ball diameter at time of install. New tree species may be Coast live oak (*Quercus agrifolia*).
6. Contact Forestry 48 hours prior to planting replacement City Street tree, to accept quality of nursery stock.
7. Planting must be executed to City Standards (See attachment for planting diagram)
8. Contact Forestry post planting to finalize permit.

I can be contacted at x. 3402 or JoseMunoz@GlendaleCa.Gov

b. CASE SPECIFIC CODE REQUIREMENTS: (these are not standard code requirements)


- 1.

c. SUGGESTED CONDITIONS: (may or may not be adopted by the Hearing Officer)

- 1.

TREE PLANTING NOTES:

1. DIG THE DIAMETER OF THE PLANTING HOLE AT LEAST TWO (2) TIMES WIDER THAN THAT OF THE ROOT BALL.
2. DIG THE DEPTH OF THE PLANTING HOLE SHALLOW ENOUGH TO ALLOW FOR THE TOP TWO (2") INCHES OF THE ROOT CROWN TO REMAIN ABOVE THE FINISH GRADE.
3. TAMP DOWN THE BASE OF THE HOLE TO ALLOW THE TREE TO STAND STRAIGHT AND TO AVOID THE POTENTIAL OF THE TREE SETTLING BELOW THE FINISH GRADE.
4. POUND TWO (2) LODGEPOLE PINE TEN (10') FOOT LONG STAKES TO A DEPTH OF TWENTY-FOUR (24") INCHES BELOW BOTTOM OF PLANTING HOLE. ENSURING THAT THE TOP OF THE STAKE IS SLIGHTLY BELOW THE LOWEST LATERAL LIMBS OF THE CANOPY.
5. ATTACH A MINIMUM OF TWO (2) INCH TIES TO TIE THE TREE TO THE STAKES, LEAVING THE TIES LOOSE ENOUGH AROUND THE TRUNK TO ALLOW THE TREES TO SWAY SLIGHTLY.
6. SCARIFY OR SCRAPE THE SIDES OF THE PLANTING HOLE.
7. BACKFILL THE PLANTING HOLE WITH CLEAN, NATIVE SOIL NO HIGHER THAN HALFWAY UP THE ROOTBALL. SLIGHTLY TAMP THE SOIL TO REMOVE AIR POCKETS, BUT BE SURE NOT TO COMPACT THE SOIL TOO MUCH.
8. COMPLETE THE BACKFILLING TO THE FINISH GRADE. ONCE AGAIN, TAMP THE SOIL SLIGHTLY TO REMOVE AIR POCKETS.
9. FORM A WATERING BASIN OUT OF BACKFILL MATERIAL, APPROXIMATELY SIX (6) INCHES HIGH. THE BASIN SHALL BE INSTALLED FOUR (4") INCHES OUTSIDE OF AND AROUND THE EDGE OF THE PLANTING HOLE.
10. REMOVE ALL NURSERY STAKES, TIES AND RIBBONS FROM THE TREE.
11. INSTALL A THREE (3") TO FOUR (4") INCHES LAYER OF CITY APPROVED WOOD CHIP MULCH WITHIN THE PLANTING BASIN OF THE TREE. A SPACE OF THREE (3") INCHES SHALL BE LEFT BETWEEN THE TREE'S STEM AND THE MULCH LAYER TO ALLOW AIRFLOW AND TO RESTRICT MOISTURE FROM REMAINING STATIC AROUND THE BASE OF THE TRUNK.
12. GIVE THE NEW TREE AN INITIAL DEEP WATERING.
13. ALL SPECIMEN PLANT MATERIALS, SHRUBS AND LAWN SHALL BE APPROVED BY THE ENGINEER PRIOR TO THE INSTALLATION.
14. SPECIMEN TREES IN BOXES SHALL BE GUARANTEED FOR (2) YEAR. UPON COMPLETION OF WORK APPROVED BY THE CITY OF GLENDALE, THE CONTRACTOR SHALL PERFORM A TWO-YEAR (2) MAINTENANCE.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING AND SKATING ALL SEWER, ELECTRICAL, WATER MAIN LINES, AND UTILITIES PRIOR TO PLANTING. THE CONTRACTOR SHALL ASSUME SOLE RESPONSIBILITY FOR ANY COSTS INCURRED DUE TO DAMAGE AND REPLACEMENT OF SAID UTILITIES.
16. THE CONTRACTOR SHALL EXERCISE CARE WHILE WORKMEN ARE DIGGING AROUND.






PLANTING TREE IN PARKWAY

NOT TO SCALE

How Do I Create a Tree Protection Plan?

- 1 Make sure your site plan shows the location of ALL construction activities planned — including grading, over-excavation, trenching, compaction, and the installation of underground utilities, as well as all protected trees on site and within 20' of the site.
- 2 DRAW THE CONSTRUCTION ACCESS PATH for foot traffic, heavy machinery, deliveries, and material storage.
- 3 DRAW the TREE PROTECTION FENCING around the protected trees on site. Show exactly where each fence POST will be installed in the ground and where each SIGN will be installed on the fencing, per the attached detail. The fencing should enclose as much of the Protected Zone (under the canopy, plus 1' outside) as possible.
- 4 NOTE where soil conditions must be improved per the attached detail, and include the volume of WOOD CHIP MULCH to be installed on site (cubic yards).

EXAMPLE TREE PROTECTION PLAN



WARNING

TREE PROTECTION ZONE

KEEP OUT.

CALL 818-648-3950 TO REPORT VIOLATIONS

ADVERTENCIA

ZONA DE PROTECCIÓN DE ÁRBOLES

NO ENTRAR.

LLAMAR AL TEL 818-648-3950 PARA REPORTAR INFRACCIONES

For more information, visit www.gendlatreestrees.org

INDIVIDUAL TREE PROTECTION MEASURES	
1. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
2. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
3. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
4. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
5. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
6. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
7. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
8. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
9. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
10. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
11. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
12. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
13. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
14. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
15. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
16. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
17. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
18. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
19. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
20. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
21. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
22. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
23. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
24. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
25. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
26. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
27. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
28. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
29. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
30. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
31. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
32. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
33. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
34. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
35. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
36. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
37. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
38. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
39. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
40. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
41. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
42. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
43. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
44. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
45. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
46. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
47. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
48. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
49. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.
50. PROTECTED ZONE	The "Protected Zone" is 7' outside canopy drip line unless otherwise noted on the project's Tree Protection Plan.

PUBLIC WORKS ENGINEERING
Land Development Section

 Comments/Conditions No Comments

1. The project shall comply with all National Pollutant Discharge Elimination System (NPDES) requirements.
2. The applicant shall dedicate to the City, for alley use purposes, a strip of land, 2.5 feet wide, along entire alley frontage of the property.

Contact Negin Rezaei @ nrezaei@glendaleca.gov for dedication details and fees.

3. Any existing private improvements within the 2.5 feet wide alley dedication shall be removed or relocated, and the entire 2.5 feet wide dedication to be paved with asphalt.
4. Reconstruct the driveway apron per the latest edition of the SPPWC Manual.
5. Remove any broken curb, gutter, sidewalk, walkway, landscaping, and irrigation along the entire frontage of the property, and construct new concrete integral curb and gutter, sidewalk, walkway, landscaping, and irrigation.
6. The entire asphalt concrete roadway pavement within the vicinity of the property shall be inspected after the construction of the project. In the event of damage, because of construction-related activities, the applicant may be required to perform additional street improvement repairs, up to the reconstruction of the asphalt concrete pavement, at no cost to the City and to the satisfaction of the Director of Public Works.
7. The applicant shall bear all costs involved in the relocation/reconstruction and/or adjustment to new finished grade of all utilities (underground and overhead) within the public right-of-way that may be affected by the project. The applicant shall coordinate all such work with the respective utility owners.
8. All existing street appurtenances including traffic striping, utilities, street signs, curb paintings, landscaping, and tree wells within the public right-of-way that were damaged, removed, or relocated during construction shall be restored to the satisfaction of the Director of Public Works.
9. Separate permits are required for all work within the public-right-of-way. All applicable construction work shall conform to the latest edition of the SPPWC manual. The applicant shall bear all fees for the necessary permits and construction inspections for work within the public right-of-way.
10. Additional requirements may apply after the initial submittal of the final engineering plans for building plan checking.

RFC#: PDR-003041-2024

ADDRESS: 1317 THOMPSON AVE

Case No.: PDR-003041-2024
Address: 1317 THOMPSON AVENUE
Case Planner: Alan Lamberg

Signature:  _____ Date: 8/7/24 _____
Daniel Hernandez
Interim Director of Public Works

**INTER-DEPARTMENTAL COMMUNICATION
PROJECT CONDITIONS AND COMMENTS**

Project
Address: 1317 Thompson Ave

Project
Case No.: PDR-003041-2024

If project comments are not received by the due date, it will be assumed that your department has no comments.

NOTE: Your comments should address, within your area of authority, concerns and potentially significant adverse physical changes to the environment regarding the project. You may also identify code requirements specific to the project, above and beyond your normal requirements. Applicant will be informed early in the development process. You may review complete plans, maps and exhibits in our office, MSB Room 103. We appreciate your consideration and look forward to your timely comments. Please do not recommend APPROVAL or DENIAL. For any questions, please contact the Case Planner ASAP, so as not to delay the case processing.

COMMENTS:

- This office **DOES NOT** have any comment.
- This office **HAS** the following comments/conditions. (See attached Dept. Master List)

Date: July 11, 2024

Print Name: Amirah Limayo

Title: Senior Administrative Analyst **Dept:** Community Services & Parks **Tel:** (818) 548-2057

a. ADDITIONAL COMMENTS:

- 1. This project is subject to appropriate provisions of the Public Use Facilities Development Impact Fee Ordinance which requires that fees be paid to offset impacts on parks, recreation and library facilities. Developer should complete the Development Impact Fee forms for staff to calculate the appropriate amount of the fee due based upon the net new square footage and/or new units added.

b. CASE SPECIFIC CODE REQUIREMENTS: (these are not standard code requirements)

- 1.

c. SUGGESTED CONDITIONS: (may or may not be adopted by the Hearing Officer)

- 1.

CITY OF GLENDALE
INTERDEPARTMENTAL COMMUNICATION

DATE: July 23, 2024

TO: Alan Lamberg, Community Development Department

FROM: Kevin Runzer, GWP Water Engineering
Catherine Babakhanlou, GWP Electric Engineering

SUBJECT: PDR-003041-2024
1317 Thompson Ave

Glendale Water & Power (GWP) Engineering has reviewed the plans.
Requirements are as follows:

Electric Engineering

Customer Service (818) 548-3921

- Project to contact GWP Customer Service Engineering to determine electric service requirements before starting the permitting process. Final construction plans must incorporate the electric service plan information for GWP Electric Engineering to sign off the building plan application.
- Additional comment(s) and/or attachment(s).
Electric Service Spot required for new home.

Fiber Optics (818) 548-3923

- No conflict.

Street Lighting (818) 548-4877

- No Conflict

Transmission & Distribution (818) 548-3923

- No conflict.

Water Engineering

Recycled Water (818) 548-2062

- No conflict.

Backflow Prevention (818) 548-2062

- No conflict.

Potable Water (818) 548-2062

- Developer is responsible for the current cost of a water service or fire line installation in accordance with the current water fee schedule.
- A complete set of plumbing plans and fire sprinkler plans shall be submitted to GWP Water Engineering for review and approval prior to request of new domestic water service and new fire line respectively
- Any water service or fire line connection, when no longer needed by the customer, must be permanently abandoned (disconnected at water main and water meter removed) by GWP following payment of the necessary fee.
- All water facilities shall be protected in place during construction of the subject project. All water valves, water meter boxes, water vaults and fire hydrants must be relocated and set to finished grade when necessary at

project's expense.

- Please contact GWP Water Engineering at (818) 548-2062 prior to construction.
- Please add the following to the General Notes: All water facilities shall be protected in place during construction of the subject project. All water valves, water meter boxes, water vaults and fire hydrants must be relocated and set to finished grade when necessary at project's expense. Please contact GWP Water Engineering at (818) 548-2062 prior to construction.

Catherine Babakhanlou
Senior Electrical Engineer

Kevin Runzer
Senior Civil Engineer

CB/KR:sb/eh

**INTER-DEPARTMENTAL COMMUNICATION
PROJECT CONDITIONS AND COMMENTS**

Project
Address: 1317 Thompson Ave

Project
Case No.: PDR-003041-2024

If project comments are not received by the due date, it will be assumed that your department has no comments.

NOTE: Your comments should address, within your area of authority, concerns and potentially significant adverse physical changes to the environment regarding the project. You may also identify code requirements specific to the project, above and beyond your normal requirements. Applicant will be informed early in the development process. You may review complete plans, maps and exhibits in our office, MSB Room 103. We appreciate your consideration and look forward to your timely comments. Please do not recommend APPROVAL or DENIAL. For any questions, please contact the Case Planner ASAP, so as not to delay the case processing.

COMMENTS:

This office **DOES NOT** have any comment.

This office **HAS** the following comments/conditions. (See attached Dept. Master List)

Date: 07/23/2024

Print Name: Sita Partamian

Title: Principal FESS Dept. FIRE Tel.: 818-937-8105

a. ADDITIONAL COMMENTS:

1.

b. CASE SPECIFIC CODE REQUIREMENTS: (these are not standard code requirements)

1.

c. SUGGESTED CONDITIONS: (may or may not be adopted by the Hearing Officer)

1.

**INTER-DEPARTMENTAL COMMUNICATION
PROJECT CONDITIONS AND COMMENTS**

Project
Address: 1317 Thompson Ave

Project
Case No.: PDR-003041-2024

If project comments are not received by the due date, it will be assumed that your department has no comments.

NOTE: Your comments should address, within your area of authority, concerns and potentially significant adverse physical changes to the environment regarding the project. You may also identify code requirements specific to the project, above and beyond your normal requirements. Applicant will be informed early in the development process. You may review complete plans, maps and exhibits in our office, MSB Room 103. We appreciate your consideration and look forward to your timely comments. Please do not recommend APPROVAL or DENIAL. For any questions, please contact the Case Planner ASAP, so as not to delay the case processing.

COMMENTS:

- This office **DOES NOT** have any comment.
- This office **HAS** the following comments/conditions. (See attached Dept. Master List)

Date: 7/30/24 _____

Print Name: Jessica Sada _____

Title: Admin. Assoc. _____ **Dept.** Neighborhood Services, CDD **Tel.:** 818-937-8167 _____

a. ADDITIONAL COMMENTS:

- 1.

b. CASE SPECIFIC CODE REQUIREMENTS: (these are not standard code requirements)

- 1.

c. SUGGESTED CONDITIONS: (may or may not be adopted by the Hearing Officer)

- 1.