

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

**All the work orders listed below have been completed in the month of September:**

W/O	Actual Finish	Comments	Facility
56047	9/13/24	Erased and repainted wells and concrete around the facility.	ADULT RECREATION CENTER
56044	9/10/24	Picked up benches.	DUNSMORE PARK
56042	9/12/24	Assessed graffiti damage under freeway underpass.	GLENDALE NARROWS RIVERWALK
56038	9/27/24	Backfilled around light pole footing.	GLORIETTA PARK
56041	9/20/24	Crew attended landscape expo.	OTHER LOCATION
56040	9/23/24	Removed trees.	PACIFIC PARK
56045	9/3/24	Made new base plate for Doran Gardens lamp post.	PW CORP YARD
56046	9/3/24	Built tables.	PW CORP YARD
56039	9/27/24	Cleaned and organized trucks.	PW CORP YARD
56043	9/11/24	Weld split-on coping near entrance to skate park.	VERDUGO PARK
56037	9/30/24	Hand watered container plants in maintenance yard.	VERDUGO PARK
<b>TOTAL FOR GROUNDSKEEPERS</b>			<b>11</b>

W/O	Actual Finish	Comments	Facility
56050	9/23/24	Dropped new valve and added 2 tone station.	BRAND PARK
56080	9/27/24	Replaced broken heads in the brick dust infield and repaired broken arc heads and time adjustments.	BRAND PARK
56069	9/6/24	Audited upper turf area, adjusted sprinklers, replaced 5000, let the station 20 min. each, added time/extra day to station.	DEUKMEJIAN WILDERNESS PARK
56059	9/17/24	Isolated 2" mainline break by shutting 8" potable backflow, shut down booster pump, placed out of service signs on restroom doors. Waited for Scott the plumber to arrive.	DEUKMEJIAN WILDERNESS PARK
56052	9/23/24	Checked top half turf to see if turf was growing back.	DEUKMEJIAN WILDERNESS PARK
56067	9/6/24	Audited turf area by parking lot garden's room. Let the station run for a while, adjusted sprinklers, replaced clogged nozzles.	DUNSMORE PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56071	9/4/24	Dropped lateral lines for new planters and backfilled.	EMERALD ISLE PARK
56064	9/10/24	Dropped lateral lines for st. 5 and added 5000 6504 3/4" nipple.	EMERALD ISLE PARK
56063	9/11/24	Replaced stuck 6504, rebuilt valve/retreaded solenoid, adjusted sprinklers, put nozzles on 5000, audited st. 6 14, 5, 12.	EMERALD ISLE PARK
56073	9/3/24	Audited turf area, adjusted sprinklers, replaced 1800.	GLENDALE NARROWS RIVERWALK
56054	9/25/24	Exposed leaking pipe, cut pipe, added new pipe, put smith-blairs on pipe, pumped water out the trench, turned water off.	GLENDALE SPORTS COMPLEX
56083	9/26/24	Used smith-blair coupling for mainline break and turned on water and backfilled.	GLENDALE SPORTS COMPLEX
56057	9/20/24	Replaced valve box lid, adjusted 1800, replaced 1800 nozzles, adjusted 5000.	GRIFFITH MANOR PARK
56055	9/23/24	Replaced lid on valve box.	LOWER SCHOLL CANYON PARK
56070	9/3/24	Located mainline break, shut down backflow, and turned off irrigation clock.	MARYLAND MINI PARK
56085	9/26/24	Ran lateral lines and cleaned planters and removed dirt and brush.	MARYLAND MINI PARK
56075	9/3/24	Replaced 5000 in between baseball field, replaced 6504 in softball field.	MONTROSE COMMUNITY PARK
56081	9/27/24	St. 3, 4, 10 causing water puddle that looks like mainline.	MONTROSE COMMUNITY PARK
56078	9/30/24	Went to check on leaking valve, audited situation for parts needed.	MONTROSE COMMUNITY PARK
56058	9/17/24	Followed up with irrigation crew in regards to 2 1/2" mainline break.	NEW YORK PARK
56076	9/30/24	Went to check on exposed mainline, checked for parts that needed to be replaced.	NEW YORK PARK
56068	9/6/24	Audited turf area, let the station run, adjusted sprinklers, replaced 5000.	OAKMONT VIEW PARK
56072	9/3/24	Went to get parts at Ewing Irrigation.	OTHER LOCATION
56062	9/10/24	Assisted Carlos Jr. from Parkwood with irrigation clock at Western/Bel Air reservoir and two-wire system.	OTHER LOCATION
56061	9/11/24	Exposed broken hose bibb area, removed damaged sch 40 pipe and parts. Installed new hose bibb and repaired broken fittings.	OTHER LOCATION

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56060	9/17/24	Gathered materials/tools at Home Depot needed for Brand Library sprays.	OTHER LOCATION
56082	9/27/24	Checked broken mainline on San Fernando Rd. contract site.	OTHER LOCATION
56065	9/9/24	Repaired broken sprinklers and lateral lines on st. 33, 34, 41, 42, 43.	PACIFIC PARK
56048	9/24/24	Assisted situation for broken mainline.	PACIFIC PARK
56053	9/25/24	Fixed broken mainline, pumped water out the trench, cleaned out dirt, exposed pipe, rewired wires, toned wires/cut glued pipe.	PACIFIC PARK
56086	9/25/24	Fixed broken mainline and reconnected station wires.	PACIFIC PARK
56084	9/26/24	Backfilled, pumped out water, turned water back on, de-bled system, and cleaned area.	PACIFIC PARK
56079	9/27/24	Repaired leaking head and broken head due to it being ran over.	PELANCONI PARK
56056	9/20/24	Washed truck, stocked, threw away trash from the back of truck.	PW CORP YARD
56066	9/6/24	Audited turf area, let station run for a while.	SPARR HEIGHTS COMMUNITY CENTER
56051	9/23/24	Fixed 2 lopped off heads and adjusted time.	VERDUGO PARK
56049	9/24/24	Audited st. 14, 15, 16, 17, 18 and adjusted time.	VERDUGO PARK
56077	9/30/24	Replaced old valve, de-bled system, rewired, and backfilled.	VERDUGO PARK
56074	9/3/24	Audited turf, adjusted sprinklers, replaced broken 1800.	WINDSOR MINI PARK
<b>TOTAL FOR IRRIGATION SPECIALISTS</b>			<b>39</b>

W/O	Actual Finish	Comments	Facility
56087	9/17/24	Sprayed restroom building of Pelanconi Park for ants.	PELANCONI PARK
56088	9/17/24	Inspected Griffith Manor community building. Sprayed inside building and outside next to building.	GRIFFITH MANOR PARK
56089	9/20/24	Sprayed ants in breakroom, restroom, and surrounding areas at Verdugo Park maintenance yard.	VERDUGO PARK
56090	9/18/24	Checked for yellow jacket nest. Couldn't find nest but will keep checking for a week or two.	VERDUGO PARK
56091	9/20/24	Checked out horseshoe pit at Verdugo Park. Nest removed by Bee Removers on 9/19/2024.	VERDUGO PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56092	9/30/24	Bees were flying around for water and nectar. Told Felipe to expand the caution tape to protect the public.	BRAND PARK
56093	9/30/24	Inspected inside gardener's room for rats at Pelanconi Park. Will install bait stations the next day.	PELANCONI PARK
56094	9/30/24	Inspected in and around restroom at Pelanconi Park.	PELANCONI PARK
56095	9/30/24	Inspected inside and outside restroom building for ants.	GRIFFITH MANOR PARK
56096	9/30/24	Inspected outside of concession stand and restrooms at Scholl Ballfields.	OTHER LOCATION
<b>TOTAL FOR PESTICIDE APPLICATORS</b>			<b>10</b>

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

**All the work orders listed below have been completed in the month of October:**

W/O	Actual Finish	Comments	Facility
56120	10/21/24	Took picnic tables to Dunsmore Park.	DUNSMORE PARK
56143	10/1/24	Removed trees.	EMERALD ISLE PARK
56098	10/3/24	Blew parking lot.	EMERALD ISLE PARK
56112	10/7/24	Removed trees.	EMERALD ISLE PARK
56106	10/24/24	Dug holes and planted plants.	EMERALD ISLE PARK
56105	10/28/24	Power washed Verdugo Park, picked up debris at Emerald Isle Park.	EMERALD ISLE PARK
56099	10/10/24	Power washed library.	GLENDALE CENTRAL LIBRARY
56100	10/10/24	Power washed Joe Bridges Clubhouse.	GLENOAKS PARK
56121	10/16/24	Cleaned off roof, raised trees, and planted at Glenoaks Park.	GLENOAKS PARK
56117	10/7/24	Removed graffiti.	GWP YARD
56183	10/29/24	Cleaned up by playground.	LOWER SCHOLL CANYON PARK
56184	10/29/24	Maintenance work.	LOWER SCHOLL CANYON PARK
56182	10/30/24	Cleaned up brush.	LOWER SCHOLL CANYON PARK
56114	10/9/24	Dug many lids and picked up debris. Scarified, graded, and blew the area.	MARYLAND MINI PARK
56111	10/14/24	Planted plants and watered them. Dug holes and cleaned up.	MARYLAND MINI PARK
56110	10/15/24	Got 2 loads of mulch and spread it around the park.	MARYLAND MINI PARK
56109	10/16/24	Finished up park and cleaned inside the office.	MARYLAND MINI PARK
56116	10/7/24	Removed graffiti.	MONTROSE COMMUNITY PARK
56101	10/10/24	Weed whacked and went to pick up some dirt and filled some lids.	OTHER LOCATION
56119	10/18/24	Power washed at Maryland, Sparr Heights, and Pacific Park. Dropped off the washer machine to get checked.	PACIFIC PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56118	10/7/24	Pressure washed.	PALMER PARK
56103	10/4/24	Cleaned yard and organized aluminum tables to outside.	PW CORP YARD
56102	10/9/24	Cleared out Ford 6043 and turned into Mechanical Maint. Picked up new Ford Lightning 1-6066.	PW CORP YARD
56108	10/21/24	Built tables for various parks.	PW CORP YARD
56107	10/22/24	Cleaned out work truck and had meeting with Chris.	PW CORP YARD
56104	10/29/24	Took apart park chairs and put apart chairs.	PW CORP YARD
56097	10/3/24	Put up fence.	SCHOLL CANYON
56122	10/17/24	Planted and cleaned up.	SPARR HEIGHTS COMMUNITY CENTER
56113	10/2/24	Picked up Billy Goat.	VERDUGO PARK
56115	10/8/24	Power washed, removed graffiti, and painted over walls at Verdugo and Montrose.	VERDUGO PARK
56187	10/22/24	Hand watered container plants in Verdugo Park maintenance yard.	VERDUGO PARK
56186	10/31/24	Hand watered container plants at maintenance yard.	VERDUGO PARK
<b>TOTAL FOR GROUNDSKEEPERS</b>			<b>32</b>

W/O	Actual Finish	Comments	Facility
56156	10/4/24	Repaired broken 1" tee for tree bubblers located in front of Brand Park on Mountain St.	BRAND PARK
56130	10/11/24	Checked dry spots for Tea House/Doctor's House.	BRAND PARK
56175	10/21/24	Assessed overwatering issue on Little League field. Found 3 5000s to be leaking and 1 stuck Falcon for station 14 and 18.	BRAND PARK
56169	10/22/24	Audited a valve rebuild in Little League ballfield.	BRAND PARK
56171	10/22/24	Rebuilt station 18 2" valve, replaced 4 5000s in infield and 1 Falcon on st. 18.	BRAND PARK
56149	10/3/24	Replaced broken 1800 Rainbird.	CIVIC AUDITORIUM
56134	10/18/24	Checked irrigation on baseball infield. Made sure system has proper coverage.	DUNSMORE PARK
56126	10/21/24	Audited to get parts for planters.	EMERALD ISLE PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56170	10/22/24	Did a new layout on 3 planters, adjusted 1800, trenched planters, added new time.	EMERALD ISLE PARK
56167	10/24/24	Ran sleeve below cement for irrigation for station 8.	EMERALD ISLE PARK
56166	10/25/24	Fixed broken lateral for station 8 and new irrigation layouts for station 17.	EMERALD ISLE PARK
56165	10/28/24	Cut down pine trees, took out trunk with mini excavator, put nozzles on 1800 adjusted, put a new valve, rewired valve.	EMERALD ISLE PARK
56128	10/14/24	Audited stations 3, 4, 5.	GLENDALE NARROWS RIVERWALK
56163	10/28/24	Capped broken bubbler and repaired broken pop-up.	GLENDALE NARROWS RIVERWALK
56158	10/29/24	Repaired broken marlex on station 5 and reduced to turf as needed.	GLENDALE NARROWS RIVERWALK
56131	10/21/24	Fixed broken 6504, replaced broken marlex, adjusted 6504, backfilled, and cleaned area.	GLENDALE SPORTS COMPLEX
56150	10/3/24	Audited station 15, rebuilt valve, and replaced solenoid.	GLENOAKS PARK
56177	10/18/24	Replaced broken 12" 1800, replaced broken marlex, and flushed out line.	GLORIETTA PARK
56127	10/21/24	Replaced broken 12" 1800, replaced marlex, adjusted 1800, backfilled and cleaned area.	GLORIETTA PARK
56159	10/29/24	Replaced broken 1804 cap on station 45. Assessed standing water in front of restroom in turf.	GRIFFITH MANOR PARK
56174	10/21/24	Assessed possible homeless encampment at old campsite and assessed possible mainline leak.	LOWER SCHOLL CANYON PARK
56146	10/1/24	Troubleshoot common wire issue for the new station 1 valve.	MARYLAND MINI PARK
56148	10/3/24	Laid down PVC for irrigation and put in 1800 Rainbird pop-ups.	MARYLAND MINI PARK
56157	10/4/24	Repaired broken 3/4" lateral line on station 8. Connected station wires for stations 5 and 6.	MARYLAND MINI PARK
56147	10/7/24	Trenched front area, laid irrigation pipes, backfilled trenches, assembled swing joints.	MARYLAND MINI PARK
56155	10/7/24	Installed 1" valve " superior", trenched for new lateral lines, installed new laterals with spray heads attached with swing joints, flushed lines, and backfilled.	MARYLAND MINI PARK
56140	10/8/24	Added new PVC pipe for planter heads and put 35 1800 Rainbird sprinklers.	MARYLAND MINI PARK
56152	10/8/24	Helped install irrigation for shrub beds.	MARYLAND MINI PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56139	10/9/24	Put 2 new superior valves and put 35 1800 Rainbird nozzles.	MARYLAND MINI PARK
56154	10/9/24	Assisted with cleaning in shrub beds and irrigation.	MARYLAND MINI PARK
56132	10/18/24	Went through irrigation stations and made adjustments accordingly.	MARYLAND MINI PARK
56160	10/29/24	Exposed broken lateral line on station 8, replaced 3/4" broken tee with 3/4" x 1/2" 90. Repaired broken spray on station 7.	MILFORD MINI PARK
56142	10/1/24	Replaced system for valve rebuild.	MONTROSE COMMUNITY PARK
56145	10/1/24	Ran lateral lines and dropped new valve for station 6. Installed heads.	MONTROSE COMMUNITY PARK
56141	10/2/24	Replaced 2" valve, turned off water, de-bled system, exposed valve, took out box, replaced nipples and union, turned water back on.	MONTROSE COMMUNITY PARK
56153	10/9/24	Followed up on irrigation behind softball field.	MONTROSE COMMUNITY PARK
56129	10/11/24	Backfilled and filled broken sprinkler heads.	MONTROSE COMMUNITY PARK
56173	10/21/24	Assessed puddle area behind softball field.	MONTROSE COMMUNITY PARK
56162	10/28/24	Adjusted time needed for stations 26, 33, 35.	MONTROSE COMMUNITY PARK
56151	10/10/24	Exposed mainline break, broke with mini excavator, removed a lot of roots, cleaned out dirt around pipe, cleaned wires.	NEW YORK PARK
56124	10/14/24	Repaired mainline.	NEW YORK PARK
56138	10/14/24	Exposed mainline break, removed dirt, and did a lot of root cutting.	NEW YORK PARK
56137	10/15/24	Repaired 2 1/2" mainline break, repaired cut wires, rewired common wire and station wires. Used schedule 80 fitting and mechanical coupling smith-blair.	NEW YORK PARK
56136	10/16/24	Loaded dirt onto dump truck and dumped dirt for 4 trips. Re-did lateral line.	NEW YORK PARK
56133	10/18/24	Checked finished product on 2 1/2" mainline break.	NEW YORK PARK
56172	10/21/24	Located stuck valve and shut down closed 1 isolation on backflow and turned off irrigation clock.	NEW YORK PARK

**Exhibit 1: Park Services Detailed List of Completed Work Orders for September 2024 and October 2024**

56168	10/24/24	Rebuilt valve that was stuck and repaired broken heads.	NEW YORK PARK
56125	10/11/24	Repaired leaking valve that caused leaking and broken heads.	PACIFIC PARK
56161	10/28/24	Went to check if the broken mainline was ours or GUSD.	PACIFIC PARK
56164	10/28/24	Audited irrigation system after event.	PACIFIC PARK
56123	10/21/24	Cleaned out truck, fixed tools, stocked, threw away trash.	PW CORP YARD
56144	10/1/24	Turned water back on due to valve replacement and backfilled with new valve box.	VERDUGO PARK
56135	10/17/24	Water pressured Verdugo Park and painted houses.	VERDUGO PARK
56176	10/18/24	Replaced stuck 6504 and adjusted 6504.	VERDUGO PARK
<b>TOTAL FOR IRRIGATION SPECIALISTS</b>			<b>54</b>

W/O	Actual Finish	Comments	Facility
56180	10/2/24	Installed 6 bait stations around maintenance building.	BRAND PARK
56185	10/10/24	Inspected planter in parking lot for yellow jacket nest.	PALMER PARK
56181	10/2/24	Initial installation of bait. Will check once or twice a week.	PELANCONI PARK
56178	10/2/24	Sprayed concession stand, restrooms, and press boxes at Upper Scholl ballfield.	UPPER SCHOLL CANYON
56179	10/2/24	Installed 6 bait stations around maintenance building.	VERDUGO PARK
<b>TOTAL FOR PESTICIDE APPLICATORS</b>			<b>5</b>